

TP 45 EC (VN)

INSTANTANEOUS WATER HEATER FOR
SHOWERS

PRODUCT-NO.: 207527

The main features

More water flow with powerful and super quiet booster pump

Anti-scalding and overheating protection with double action thermostat

5-in-1 shower head with slide bar for convenient height adjustment

Extra slimline design with a depth of just 7.3 cm

Complete set optimised for a single shower

Protection from electric shock with Earth Leakage Circuit Breaker (ELCB)

Protection class IP25 (splash-proof)

Temperature adjustment via stepless power control

High pressure and heat-resistant copper tank

Corrosion-free copper heating element for longer service life





Type	TP 45 EC (VN)
Part no.	207527

Technical data

Cold water connection	1/2 inch
Electrical fuse protection	ELCB
Rated output	4,500 W
Electrical connection	1/N/PE~220-240 V
Rated voltage	220-240 V
Rated current	20.5 A
Heating element	Copper
Type	Open outlet
Heating material	Copper
Temperature setting	Stepless
Temperature control	Output control
Anti-scalding protection	Double acting thermostat
Shower accessories	5-in-1 shower head with slide bar
Colour	black
IP rating	IP25
Shutdown value	0.8 l/min
Starting flow rate	1.1 l/min
Depth	73 mm
Height	342 mm
Width	216 mm
Weight	1.7 kg

Contact information

You have questions? We appreciate to help you:

Call 1800 888822

Write an email to info@stiebel-eltron.vn

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in.

The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.