

XGL 45 EC (VN)

INSTANTANEOUS WATER HEATER FOR SHOWERS

PRODUCT-NO.: 205240

Call up precise information at any time

No more sudden temperature fluctuations during your shower – even if another tap is in use at the same time – thanks to the precise electronic temperature control function. An LCD temperature display with temperature selection provides you extra comfort. Featuring an extra slimline design, as well as a striking colour contrast of white and matte black, this model makes an eye-catching addition to every bathroom.



The pleasure of water without the worries

The built-in Earth Leakage Circuit Breaker (ELCB) detects any harmful leakage current and shuts off the power supply, thereby providing full protection from electric shock for you and your family. Moreover, our water heater is built according to the latest technical standard including EMC compatibility, for worry-free operation.

The main features

Corrosion-free copper heating element for longer service life

Extra slimline design with a depth of just 7.3 cm

Protection class IP25 (splash-proof)

Complete set optimised for a single shower

Protection from electric shock with Earth Leakage Circuit Breaker (ELCB)

Anti-scalding and overheating protection with double action thermostat

LCD display shows the shower water temperature at a glance

Maximum shower comfort with precise electronic output temperature control

Temperature adjustment via stepless power control

X-TRA Tank – highly efficient composite polymer tank for reduced heat loss and electricity consumption

5-in-1 shower head with slide bar for convenient height adjustment

Maximum shower comfort with precise electronic output temperature control

Step-less temperature adjustment

Complete set optimised for a single shower

Corrosion-resistant copper heating element and tank

Certified electromagnetic compatibility

5-in-1 shower head with slide bar for convenient height adjustment

Anti-scalding and overheating protection with double action thermostat

Extra slimline design with a depth of just 7.3 cm

Luxurious casing in pearl white and matte black

Suitable for operation with low water pressure

Quick and easy installation

Flame-retardant electronic circuit board for extra safety

Automatic on/off control with flow switch

Protection from electric shock with Earth Leakage Circuit Breaker (ELCB)

Protection class IP25 (splash-proof)



Type	XGL 45 EC (VN)
Part no.	205240

Technical data

Cold water connection	1/2 inch
Electrical fuse protection	ELCB
Rated output	4,500 W
Electrical connection	1/N/PE~220-240 V
Rated voltage	220-240 V
Rated current	20.45 A
Display	Standard
Heating element	Copper tubular
Type	Open outlet
Automatic flow switch	true
Heating material	Copper
Temperature setting	Stepless 30-42 °C
Temperature control	Electronic temperature control
Anti-scalding protection	Double acting thermostat
Shower accessories	5-in-1 head shower with slide bar
Colour	white
IP rating	IP 25
Display type	small display
Shutdown value	0.8 l/min
Starting flow rate	1.3 l/min
Depth	73 mm

Height	342 mm
Width	216 mm
Weight	1.7 kg

Contact information

You have questions? We appreciate to help you:

Call 1800 888822

Write an email to info@stiebel-eltron.vn

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in.

The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.