

XGP 45 EC (VN)

INSTANTANEOUS WATER HEATER FOR SHOWERS

PRODUCT-NO.: 205241

Enjoy reliable heat

Featuring an award winning and an extra slimline design. The XGP water heater comes with a 3 speed levels built-in booster pump which provides you enjoyable showers even in low water pressure areas. To shower instantly without waiting for hot water, adds additional comfort. Heat-resistant copper tank and copper heating elements offer an extended lifetime.



The pleasure of water without the worries

The built-in Earth Leakage Circuit Breaker (ELCB) detects any harmful leakage current and shuts off the power supply, thereby providing full protection from electric shock for you and your family. Moreover, our water heater is built according to the latest technical standard including EMC compatibility, for worry-free operation.

The main features

More water flow with powerful and super quiet booster pump

Additional booster pump function

3 level pump speed adjustment displayed on LED indicator

Temperature adjustment via stepless power control

Complete set optimised for a single shower

High pressure and heat-resistant copper tank

Corrosion-free copper heating element for longer service life

5-in-1 shower head with slide bar for convenient height adjustment

Anti-scalding and overheating protection with manual reset thermostat

Protection from electric shock with Earth Leakage Circuit Breaker (ELCB)

Certified electromagnetic compatibility

Protection class IP25 (splash-proof)

Temperature adjustment via stepless power control

More water flow with powerful and super quiet booster pump

Complete set optimised for a single shower

Corrosion-resistant copper heating element and tank

Certified electromagnetic compatibility

5-in-1 shower head with slide bar for convenient height adjustment

Power "ON" and booster pump level shown by LED light on the appliance cover

Quick and easy installation

Flame-retardant electronic circuit board for extra safety

Automatic on/off control with flow switch



Type	XGP 45 EC (VN)
Part no.	205241

Technical data

Special functions	Booster pump
Heating element	Copper tubular
Type	Open outlet
Automatic flow switch	true
Heating material	Copper
Temperature setting	Variable
Temperature control	Output control
Anti-scalding protection	Double acting thermostat
Shower accessories	5-in-1 head shower with slide bar
Colour	white
IP rating	IP25
Cold water connection	1/2 inch
Electrical fuse protection	ELCB
Rated output	4,500 W
Electrical connection	1/N/PE~220-240 V
Rated voltage	220 V
Rated current	20.5 A
Display	without
Depth	73 mm
Height	342 mm
Width	216 mm
Weight	2 kg

Contact information

You have questions? We appreciate to help you:

Call 1800 888822

Write an email to info@stiebel-eltron.vn

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in.

The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.