

SNOW (VN)

DOMESTIC USE

PRODUCT-NO.: 207832

APPLICATION: The Snow is a reverse osmosis (RO) water filter that purifies water from the municipal supply to instantly deliver clean, fresh drinking water.

EQUIPMENT & CONVENIENCE: The powerful 100 GPD RO membrane provides filtered water with consistently high flow up to 100 gallons per day to fill up the tank faster. The high efficiency RO membrane limits the ratio of wastewater to 40% of the feedwater. This prevents early clogging of the RO filter and improves the lifetime of all filter cartridges as less feedwater needs to pass through. One of the most compact and lightweight RO water purifier on the market. The compact dimensions and stable base allow safe and steady installation in limited spaces. When the filter cartridge is due for replacement, the user is notified with light and audible alarm. "Twist & done" function for easy filter replacement, no tools required. German engineering with 60 % less pipework than traditional models. The "automatic water shut-off" function prevents water leakage and damage to the cartridges when removed from the head adapter or is not inserted properly, Making filter replacement safe and easy.

INSTALLATION: For installation under the sink or wall-mounted.

SAFETY & QUALITY: The filter is encapsulated inside the cartridge which provides protection against contamination from the outside, for example during filter replacement and cleaning.



The main features

The powerful RO membrane provides 600 gallons of filtered water per day to fill up the tank faster

High efficiency RO membrane reduces the ratio of wastewater to 40% of the feedwater

6-stage filtration in 2 cartridges provide a good tasting and safe drinking water source

LED filter lifetime indicator consisting of a light and an audible alarm alerts the user when the cartridge is due for replacement

Saves space while maintaining maximum filtration performance

Compact and lightweight design for space saving installation

“Twist” system for filter replacement without tools



Type	SNOW (VN)
Part no.	207832

Technical data

Height	36 mm
Width	14 mm
Depth	37.5 mm
Weight	5.15 kg
Filtration stages	5 Stage
Filter stage 1	Sediment - 5 #m
Filter stage 2	Carbon fibre
Filter stage 3	Sediment - 5 #m
Filter stage 4	Activated carbon block - 5 #m
Filter stage 5	100 GPD RO membrane 0.0001 µm
Temperature range	4 - 35 °C
Max. flow rate	3.5 (when tank is full) l/min
Maximum water pressure	0.4 bar
Draw-off option	Swan neck tap
Colour	white
Installation type	Undersink
Electrical connection	1/N/PE~220-240 V

Contact information

You have questions? We appreciate to help you:

Call 1800 888822

Write an email to info@stiebel-eltron.vn

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in.

The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.