STIEBEL HOUSE PS-2 (VN)

DOMESTIC USE

PRODUCT-NO.: 205260

The main features

- Improves water by quality removing contaminants
- Durable and porous pleated filter media
- Indirectly improves the water flow because of less-clogging and less maintenance needed for sanitary accessories.
- Reduces limescale deposit with anti-limescale balls for shining sanitary accessories
- Silverlite stone increases the safeness of the whole filter system
- Suitable for use with various water sources

Type	STIEBEL HOUSE PS-2 (VN)
Part no.	205260

Technical data

Height	610 mm
Width	185 mm
Depth	210 mm
Weight	10 kg
Filter type	POE/POU prefilter
Installation type	Wall mounted appliance
Colour	black
Filtration stages	3.0 Stage
Filter stage 1	Sediment - 10 #m
Filter stage 2	Silverlite stone
Filter stage 3	NSF 60 certified anti-hardness polyphosphate crystal balls
Temperature range	4 - 38 °C
Nominal flow rate	55 l/min
Max. operating pressure	5 bar
Min. operating pressure	1 bar
Max. flow rate	15 l/min
Maximum water pressure	5 bar

Contact information

You have questions? We appreciate to help you:
Call 1800 888822
Write an email to info@stiebel-eltron.vn

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.